



End User Configuration

- Configure model
- Objectives
 - Models and templates
 - Types of models

Model Configuration

1. Rules configuration
 - Set asset naming
2. Model Configuration
 - Create model
 - Assign to folders for use

Rules Configuration




1. To post_input.aspx, add:

```
<% TDW.SetAssetLabel(  
"page_title", context,  
asset); %>
```
2. Edit test file and change header.
3. Note the name of the test file has changed in the file view

Models In CrownPeak

- **Models**

- Accessed from the New menu
- Implemented by developers or Admins, models are used for creation of most pages and sections
- Models ensure that all configuration settings will be the same
 - Template
 - Workflow
 - Access Properties
- Can be used to create a single asset, a section, or an entire site



- **Ideal for**

- End-users, templated content, simple or complex structures, creating brand-new content

Create Model



1. Navigate to
/System/Models/Sandbox
TDW/ and create a folder
(This is the container for your model)
2. Create a new file and select
/System/Templates/TDW/TD
W Template/
3. Set Access properties to
inherit
4. Set Workflow to “Basic
Workflow”

Assign Model




1. Go to your folder in /Sandbox TDW/
2. Select Properties > Models
3. Select the folder that contains the model you just created
4. Your model will populate the New menu

Models in the CMS: Types



- Simple Model

- Single asset or single folder: e.g., new Article or new Press Release Year

Type	Label	Status	Changed By	Changed On	Size	Template	ID
	Simple Model	Draft	Denise Duncan	11/1/2012 9:26:56 AM	0 B	Detail Page	4723


- Intermediate Model

- Model with a group of assets or folders
- Model with a folder pre-populated with assets

Type	Label	Status	Changed By	Changed On	Size	Template	ID
	Intermediate Folder		Denise Duncan	11/1/2012 9:32:12 AM	1		4728
	Intermediate Model	Draft	Denise Duncan	11/1/2012 9:30:24 AM	0 B	Detail Page	4727

Models in the CMS: Types


- Recursive Model
 - Folder that calls itself as a model – allows for deep hierarchy of content
 - E.g., a Subsection folder that can create new pages or new subsections inside of it to create nested subsections

Type	Label	Status	Changed By	Changed On	Size	Template	ID
	Index	Draft	Denise Duncan	11/1/2012 9:39:09 AM	0 B	Detail Page	4737

◀ ▶ Open GoTo New Action Workflow

◻ ▶ Sandbox ▶ Denise v

Applies to: Recursive Example

Type	Label	By	Changed On	Size	Template	ID
	This is a folder	ncan	11/1/2012 9:41:22 AM	2		4739

Folder
 File
 Upload
 Recursive Folder
 Recursive Model

Models in the CMS



- Changing Models
 - Updating the model will not retroactively update content created by that model
 - As a result, try to get your Models configured properly the first time

Using the Model



1. Go to your folder in /Sandbox TDW/
2. Go to the New menu
3. Select the new option created by your model
 - A new page will be created
 - It will use the template, workflow and access assigned to the model

MODELS

TEST

QUESTIONS?

Next Steps



- Complete the survey
- Complete Developer Training Exercises
- Schedule follow up with Denise next week